

In File Name (.qml)	ObjectName	Parent	Parent ID
telegram	APL	AdaptivePageLayout	pageStack
AccountDialogPage	dialogPage	Page	dialog_page
AccountSettings	settingsPage	Page	settings_page
AccountSettings	settingsList	ListView	
AccountSettings	listItem_logout	ListItem.Standard	model
AccountSettings	logoutDialog	Popup.Dialog	logout_dialog
AccountSettings	logoutConfirm	Popup.Dialog > Button	logout_dialog
AccountPage	accountPage	Page	account_page
AccountPage	navigationMenu	PageHeader	default_header
AccountPage	defaultHeader	PageHeader	default_header
AccountPage	accountPanel	AccountPanel	account_panel
AccountPage	accountDialogList	AccountDialogList	dialogs
AccountPanel	secretChatItem	AccountPanelItem	column
AccountPanel	groupChatItem	AccountPanelItem	column
AccountPanel	panelContacts	AccountPanelItem	column
AccountPanel	panelSettings	AccountPanelItem	column
AccountContactsPage	accountContactsPage	Page	page
AccountContactsPage	contactList	MultipleSelectionListView	contact_list
AccountContactsPage	"contact%1".arg(index)	listDelegate: TelegramContactsListItem	delegate
AccountContactsPage	groupChatTextField	TextField	group_chat_title_text_field
AccountContactsPage	createGroupChatOK	Action	
AccountDialogList	dialogListView	ListView	dialog_list
AccountDialogList	"dialog%1".arg(index)	delegate: DialogsListItem	list_item
AccountDialogPage	accountMessageList	AccountMessageList	message_list
AccountDialogPage	accountSendMessageArea	AccountSendMessage	send_msg
AccountDialogPage	dialogPage	Page	dialog_page
AccountDialogPage	groupInfo	Action	
AccountDialogPage	dialogBack	Action	back_action
AccountSendMessage	sendMessageTextArea	TextArea (Note, for testing on desktop this TextArea has to be enabled. Replace 'enabled: NetworkingStatus.online && telegramObject.connected' with 'enabled: True')	txt

In File Name (.qml)	ObjectName	Parent	Parent ID
AccountSendMessage	sendMouseArea	MouseArea (Note, for testing on desktop in the 'onClicked' action code replace 'if (!telegramObject.connected !NetworkingStatus.online) return' with 'if (!telegramObject.connected) return'	send_mouse_area
AttachPanel	panelPhoto	AttachPanelItem	attachment_grid
AttachPanel	panelVideo	AttachPanelItem	attachment_grid
AttachPanel	panelFile	AttachPanelItem	attachment_grid
AttachPanel	panelClose	AttachPanelItem	attachment_grid
AccountMessageList	messagesListView	MultipleSelctionListView	mlist
AccountMessageList	"message%1".arg(index)	MessageStatus	message_item
AccountMessageMedia	mediaMessageStatus	MessageStatus	message_status
AuthNumberPage	doneButton	TelegramButton - For testing on desktop replace 'enabled: isOnline && phoneNumber.length > 0' with 'enabled: phoneNumber.length > 0'	
MessagesListItem	messageStatus	MessageStatus	message_status
MessagesListItem	messageText	Label	message_text
MessagesListItem	accountMessageMedia	Column	column
MessageStatus	statusImage	Image	status_image
ProfilePage	profilePage	Page	profile_page
ProfilePage	leadingActionBar.actions: Action { id: back_action objectName: "profileBack" iconName: "back" onTriggered: pageStack.removePages (profile_page); }	PageHeader	profile_page.title
ProfilePage	memberListView	ListView	participants_list
ProfilePage	"dialog%1".arg(index)	TelegramContactsListItem	contact_item
ProfilePage	profileUserName	ListItem.Empty > Column > Label	username_label
ProfilePage	profilePhoneNumber	ListItem.Empty > Column > Label	phone_row
ProfilePage	profileImage	ClickableContactImage	profile_image
ProfilePage	switchBlock	ListItem.Empty > Switch	block_check

In File Name (.qml)	ObjectName	Parent	Parent ID
ProfilePage	profileImageImport	MediaImport	photo_importer
ConfirmationDialog	confirmationDialog	Dialog	dialogue
ConfirmationDialog	acceptButton	Button	
ConfirmationDialog	cancelButton	Button	
AuthCountriesPage	countryField	TextField	search_text_field
AuthCountriesPage	searchIcon	Action	searchAction
MediaImport	mediaImportPopup	Popups.PopupBase	dialogue
MediaImport	contentPeerPicker	ContentHub.ContentPeerPicker	peerPicker